

THORN

Promenade LED

Elegant bollard providing light and colour in urban areas



Light and Colour




A solid and elegant range of bollard and parapet luminaires equipped with LED's to light and create colour in pathways, entrances, business centres and parks

Light

Promenade's new and unique optical system optimises the light output and uniformity from 15 high powered white LEDs enabling this stylish bollard/parapet luminaire to efficiently light pedestrian areas.

Colour

A removable accessory allows either the whole upper part or just the top cone to be lit in colour depending on the required effect: visual guidance or lighting effect. RGB dynamic colour change versions available on request.



Green version without accessory

Red version with accessory

Subtle colour to create identities in the city



Signals the entrance to a building while reinforcing the corporate colours




Enhances a pathway through a park



To create an atmosphere along a riverside footpath or in leisure areas




Creates a warm and inviting ambience around a hospital or residential building



Performance, efficiency, comfort

Optimised light output ensures:

- Better performance
- Energy efficiency
- No obtrusive light
- No glare



LED Technology






The character of LED technology is quite unique, enabling it to achieve levels of performance and functionality unobtainable with alternative lighting methods.

- Long operating life (up to 50,000hrs)
- Maintenance cost saving
- High efficiency
- Low wattage
- Low voltage
- Cold beam
- High optical performance
- Dynamic colour change (on request)
- No UV
- Instant light
- Extensive choice of colours

Promenade LED



Circular bollard and parapet luminaires with unique optical system combined with LED technology to provide white light and colour effects



Designer: Chr. Hvidt

- Elegant design for easy integration in a variety of applications
- Same design as standard Promenade bollard for retrofitting
- Robust and vandal resistant die-cast aluminium (LM6) body
- Versions for flange, root or parapet mounting

- Expresses safety, strength and harmony in urban amenity lighting applications
- Polycarbonate diffuser with sand-blasted anti-glare band
- Optimised output ensures no obtrusive light
- Low voltage LEDs for energy savings, long life and reduced maintenance, other lamp types available

Ordering Guide, Photometrics & Dimensions



Lamps

- ☒ 15 x white DMX LEDs 1.2W
- ☒ 3 x colour DMX LEDs 1.2W (blue, green, red, amber, or RGB on request) 21.6W total output. Also available in 42W TC-TEL compact fluorescent, 70W HSE-I high pressure sodium and 80W HME high pressure mercury.

Materials/Finish

Head and body: powder coated die-cast LM6 aluminium, anthracite (close to RAL 7024)
 Top cone: opal polycarbonate
 Diffuser: clear polycarbonate with internal sand-blasted band

Installation/Mounting


Flange mounting plate or support for root mounting. LED module and power supply can easily be retrofitted into an existing bollard.

Standards

Designed and manufactured to comply with EN60598
 ☐ Class II Electrical
 850°C fire retardant
 IK10 impact resistance
 ⚡ IP54
 Ⓢ CE

Specification

To specify state: Decorative aluminium bollard with clear diffuser including a sand blasted band and with small luminous cone. Complete with 18 x 1.2W DMX LEDs.
 Parapet/flange/root mounted.
 As Thorn Promenade LED.




Ordering Guide

Lamps to be ordered separately (except LED versions)

Description	Ilcos Code	Socket	Weight (Kg)	SAP Code
Parapet mounted				
PROMENADE BOL LED WHI/AMB 325MM MPL ANT	-	-	8	96231685
PROMENADE BOL LED WHI/RED 325MM MPL ANT	-	-	8	96231684
PROMENADE BOL LED WHI/GRN 325MM MPL ANT	-	-	8	96231683
PROMENADE BOL LED WHI/BLU 325MM MPL ANT	-	-	8	96231682
Bollard flange mounted				
PROMENADE BOL LED WHI/AMB 1150MM MPL ANT	-	-	15	96250884
PROMENADE BOL LED WHI/RED 1150MM MPL ANT	-	-	15	96250885
PROMENADE BOL LED WHI/GRN 1150MM MPL ANT	-	-	15	96250886
PROMENADE BOL LED WHI/BLU 1150MM MPL ANT	-	-	15	96250887
Other lamp types, Parapet mounted				
PROMENADE BOL 42W TC-TEL 325MM MPL ANT	FSM	GX24q-4	8	96100262
Other lamp types, Bollard flange mounted				
PROMENADE BOL 70W HSE-I 1150MM MPL ANT	SE/1	E27	15	96100249
PROMENADE BOL 42W TC-TEL HF 1150MM MPL ANT	FSM	GX24q-4	15	96004371
PROMENADE BOL 80W HME 1150MM MPL ANT	QE	E27	15	96004372
Root mounted attachment				
V/PROM/MAD BOL GROUND SPIKE	-	-	8	96005367

Project Example:

Promenade LED
 Pathway for pedestrians
 Pathway width: 1.5m
 bollard installed at 15cm from the pathway
 Single sided
 Spacing 10m
 Emin: 0.6 lx Eav: 2.2 lx
 Emin/Eav: 0.25
 Lighting class: S6 according to EN13201



Contact Details

Thorn Lighting Limited

UK

Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE

UK Sales desk -

Orders/Stock Enquiries

Tel: 08701 610 610

Fax: 08701 610 611

Project Enquiries:

Tel: 08701 610 710

Fax: 08701 610 711

Ireland

320 Harold's Cross Road, Dublin 6W

Tel: (353) 1 4922 877

Fax: (353) 1 4922 724

E-mail: enq.dublin@thornlight.com

Outdoor Lighting

Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE

Tel: 020 8732 9829

Fax: 020 8732 9825

E-mail: enquiries.outdoor@thornlight.com

Airfield Lighting

Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE

Tel: 020 8732 9804

Fax: 01708 776 285

E-mail: airfield@thornlight.com

Website: www.thornairfield.com

Spare Parts

Tel: 0191 301 3131

Fax: 0191 301 3038

E-mail: spares@thornlight.com

Technical Support

Tel: 0870 600 8111

Fax: 0191 301 3907

E-mail: technical@thornlight.com

Brochureline Answering Service

Brochures on specific products/ranges

Tel: 020 8732 9898

Fax: 020 8732 9899

E-mail: brochures@thornlight.com

International Sales

Silver Screens, Elstree Way, Borehamwood,
Hertfordshire, WD6 1FE

Tel: 020 8732 9802

Fax: 01708 741 827

E-mail: international.sales@thornlight.com

Thorn Lighting Ltd Dubai

Al Shoala Building, Office 301,
Block E, PO Box 1200, Deira, Dubai, UAE

Tel: (971) 4 2940181

Fax: (971) 4 2948838

E-mail: tluae@emirates.net.ae

Thorn Gulf LLC

Al Shoala Building, Office 301/2,
Block E, PO Box 1200, Deira, Dubai, UAE

Tel: (971) 4 2948938

Fax: (971) 4 2948838

E-mail: thorg@emirates.net.ae

Other Offices in:

Australia, Austria, China, Czech Republic,
Denmark, Estonia, France, Hong Kong, Italy,
Latvia, Lithuania, New Zealand, Norway,
Poland, Russia, Singapore, Sweden and UAE

www.thornlighting.co.uk

THORN

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated.

Publication No: 376 (UK) Publication Date: 07/06



Member of The Lighting
Industry Federation



ISO 9001:2000
Reg: 2916/0
Manufacturing & Distribution